Influenza & Pneumonia Deaths Among San Diego County Residents, 2006-2010

By Region, Gender, Race/Ethnicity, and Age Group

	20	2006		2007 ^e		2008 ^e		2009 ^e		2010 ^e	
	Deaths	Adjusted Rate ^{a,b}									
San Diego County ^c	391	11.8	292	8.7	338	10.6	322	10.4	289	9.2	
		_					-	_			
Region											
N. Coastal	55	9.4	33	5.4	56	9.3	44	8.0	54	9.2	
N. Central	78	11.1	52	7.4	63	9.2	63		62	9.7	
Central	39	10.4	39	10.1	64	19.0	36	9.8	33	9.3	
South	64	15.9	49	12.1	46	11.7	53	13.1	40	9.5	
East	71	13.7	60	11.4	48	9.8	59	12.5	47	9.1	
N. Inland	81	10.4	57	7.9	58	7.7	66	10.5	53	8.5	
Gender											
Male	202	14.9	125	9.2	161	12.0	174	13.1	149	11.8	
Female	189	9.5	167	8.3	177	9.5	148	8.5	140	7.4	
Race/Ethnicity ^d											
Hispanic	48	13.4	32	8.9	46	12.0	69	14.1	45	9.5	
White	304	11.6	223	8.5	255	10.3	226	10.2	216	9.4	
Black	7	*	14	*	10		9		10	,	
Asian	27	13.1	17	*	19	*	10	*	13	3	
Other	5	*	6	*	6	*	7	*	5	,	
		Age-specific									
Age Groups	Deaths	ratea	Deaths	ratea	Deaths	ratea	Deaths	rate ^a	Deaths	ratea	
0-4	3	*	3	*	0	*	0	*	0	4	
5-14	0	*	1	*	0	*	2		1	9	
15-24	0	*	0	*	1	*	4		4	9	
25-34	0	*	0	*	1	*	8		2	9	
35-44	6	*	4	*	3		18		3	,	
45-54	14	*	7	*	9		20		7	,	
55-64	15	*	11	*	16		28		16	,	
65-74	35	22.0	18	*	26		27	15.2	36	19.9	
75-84	125	97.2	77	63.1	92	79.1	75		67	57.3	
85+	193	302.3	171	278.3	190	327.2	140	259.0	153	283.5	

Influenza & Pneumonia: ICD-10 codes J10-J18; (2007-2010 includes ICD-10 code J09) as underlying cause of death

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Death Statistical Master Files; SANDAG January 1 population estimates (2001-2010 estimates released July 2012)

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Epidemiology and Immunization Services Branch, 7/26/2012

^{*} Rate not calculated for fewer than 20 deaths in this category.

^a All rates are per 100,000 population. Rates may vary slightly from previously published data due to updated population estimates.

^b Adjusted rates are adjusted to 2000 U.S. Standard Population.

^c Deaths with unknown age, region or race/ethnicity are reflected in the county total, but not in the individual categories. Category sums may not add up to county total.

^d Race/ethnicity data may be different from previously published data due to reporting modifications.

e In 2007, ICD-10 code J09, Influenza due to identified avian influenza virus, was added to the Influenza and Pneumonia category. In 2009, the ICD-10 code J09 was changed to Influenza due to certain identified influenza virus to accommodate deaths from influenza A (H1N1) virus.