

Senior Fall Injuries San Diego County East Region



Emergency Medical Services

October 2, 2008




Falls Among Seniors

- There are currently 351,317 residents of San Diego County ages 65+ years.
 - 54,743 of these seniors (16%) live in the East Region.
 - 40% (21,897) will fall within the next 12 months.
 - Of these, 75% (16,422) will fall a second time within six months of the initial fall.
 - 20% to 30% (4,379 to 6,569) will suffer injuries that will make it difficult to get around or live alone.

Source: CDC, Accessed 4/2008. Population Estimates: SANDAG, 2007 estimates. Accessed 4/2008.



Population Projections – 65+ Years San Diego County, East Region




Source: SANDAG Estimates, Accessed 12/3/2007



Falls are the leading cause of ED discharge for an injury among the elderly in San Diego County



Injury ED Discharges by Cause and Age, San Diego County, 2007



Source: HASD&IC, CHIP, CoSD HHSA PHS EMS, ED Database, 2007. Population: SANDAG, 2007




Leading Causes of Injury ED Discharge by Age, 55+ years, East Region, 2007

Age Group	Rank of Cause of Injury					
of Victim	1	2	3	4	5	
55-64	Fall	MVO	Cut/Pierce	Overexertion	Struck by/Against	
	737	188	186	151	147	
65-74	Fall	Struck by/Against	MVO	Cut/Pierce	Overexertion	
	542	74	64	57	55	
75-84	Fall	MVO	Struck by/Against	Overexertion	Cut/Pierce	
	783	63	61	51	31	
85+	Fall	Struck by/Against	MVO	Overexertion	Cut/Pierce	
	640	36	30	20	15	

^{*}Cause and total number of ED discharges are listed for each injury.




Number of ED Discharges With a Fall Injury by Region of Residence, 65+ Years, 2007






Rate of ED Discharge With a Fall Injury by Region of Residence, 65+ Years, 2007



SD County: 3,248.5 per 100,000




Number of ED Discharges With a Fall Injury by Age Group, East Region, 2007





Rate of ED Discharge With a Fall Injury by Age, East Region vs. San Diego County, 2007




Rate per 100,000

Source: HASD&IC, CHIP, CoSD HHSA PHS EMS, ED Database, 2007. Population: SANDAG, 2007




Number and Rate of ED Discharge With a Fall Injury by Age Group and Sex, East Region, 2007



Source: HASD&IC, CHIP, CoSD HHSA PHS EMS, ED Database, 2007. Population: SANDAG, 2007




Number of Fall Related ED Discharges by Day of Week, East Region, 65+ Years, 2007






Number & Rate of ED Discharge With a Fall Injury by Community, East Region, 65+ Years, 2007



Source: HASD&IC, CHIP, CoSD HHSA PHS EMS, ED Database, 2007. Population: SANDAG, 2007




Percent of ED Discharges With a Fall Injury by Mechanism, East Region, 65+ Years, 2007






Percent of ED Discharges With a Fall Injury by Nature of Injury, East Region, 65+ Years, 2007





Percent of ED Discharges With a Fall Injury by Body Part Injured, East Region, 65+ Years, 2007





Importance of the ED

- Three out of four seniors who fall will have a second fall within six months.
- ED is an entry point to the system
 - Opportunity for intervention and education
 - Fear
 - Medication management
 - Home modification
 - Address health conditions that may contribute to a fall



20% to 30% of those who fall suffer moderate to severe injuries such as hip fractures or head traumas.



Leading Causes of Unintentional Injury Hospitalization by Age Group of Victim, San Diego County, 2006

Age Group	Rank of Cause of Injury					
of Victim	1	2	3	4	5	
55-64	Fall	MVO	Poisoning	Natural/	Struck	
33 3 .		1010	rologring	Environmental	by/Against	
	879	186	123	69	48	
65-74	Fall	MVO	Poisoning	Natural/	Struck	
00 74	I dii	1010	i oloomig	Environmental	by/Against	
	1131	102	96	38	37	
75-84	Fall	Poisoning	MVO	Natural/	Struck	
75-04	ı alı	1 013011111g	IVI V O	Environmental	by/Against	
	2571	133	122	45*	45*	
85+	Fall	Poisoning	MVO	Struck	Suffocation	
	. 3.11	. 0.0011119		by/Against	C dill C dation	
	2354	57	49	36	24	

^{*}Tie for fourth

Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008.




Nonfatal Unintentional Injury Hospitalizations: San Diego County

- In 2006, the most common nonfatal unintentional injury hospitalization among people aged 65+ years was due to a fall (n=6,056).
 - 17 people per day
 - Average LOS: 5 days
- The second most common nonfatal unintentional injury hospitalization was due to poisoning (n= 286).

Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008.




Number and Rate of Fall Hospitalizations by Age Group, San Diego County, 65+ Years, 2006



Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008. Population: SANDAG population estimates.




Percent of Fall Hospitalizations by Sex, San Diego County, 65+ Years, 2006



Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008.




Number of Fall Hospitalizations by Region of Residence, San Diego County, 65+ Years, 2005



Source: Hospital Discharge Data (CA OSHPD), County of San Diego, Health and Human Services Agency, Community Epidemiology; Fall Related Hospitalization refers to primary ICD-9 E-Codes E880-E886, E888; SANDAG, Current Population Estimates, 9/27/2006.




Rate of Fall Hospitalizations by Region of Residence, 65+ Years, 2005



Source: Hospital Discharge Data (CA OSHPD), County of San Diego, Health and Human Services Agency, Community Epidemiology; Fall Related Hospitalization refers to primary ICD-9 E-Codes E880-E886, E888; SANDAG, Current Population Estimates, 9/27/2006.




Average Length of Stay for Fall Hospitalizations by Age Group, San Diego County, 2006



Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008.




Number and Rate of Fall Hospitalizations by Community, HHSA East Region, 2005



Source: Hospital Discharge Data (CA OSHPD), County of San Diego, Health and Human Services Agency, Community Epidemiology; Fall Related Hospitalization refers to primary ICD-9 E-Codes E880-E886, E888; SANDAG, 2005 Population Estimates.




Percent of Fall Hospitalizations by Nature of Injury, East Region, 65+ Years, 2006



Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008.




Percent of Fall Hospitalizations by Body Part Injured, East Region, 65+ Years, 2006



Source: California Department of Health Services, EPICenter Data Injury Data, 2006; Accessed October 2008.



Number of Hip Fracture Hospitalizations by Region of Residence, 65+ Years, 2005



Source: Hospital Discharge Data (CA OSHPD), County of San Diego, Health and Human Services Agency, Community Epidemiology; Fall Related Hospitalization refers to primary ICD-9 E-Codes E880-E886, E888.




Rate of Hip Fracture Hospitalizations by Region of Residence, 65+ Years, 2005



Source: Hospital Discharge Data (CA OSHPD), County of San Diego, Health and Human Services Agency, Community Epidemiology; Fall Related Hospitalization refers to primary ICD-9 E-Codes E880-E886, E888; SANDAG, Current Population Estimates, 9/27/2006.




Number and Rate of Major Trauma Patients With a Fall Injury by Fiscal Year, San Diego County, FY 2004/05



Source: County of San Diego Health and Human Services Agency, Emergency Medical Services, San Diego County Trauma Registry, FY 1991/92 – FY 2004/2005




Number and Rate of Major Trauma Patients With a Fall Injury by Age Group and Sex, San Diego County, FY 2004/05



Source: County of San Diego Health and Human Services Agency, Emergency Medical Services, San Diego County Trauma Registry, FY 2004/2005.



Fall Mechanism: Major Trauma Patients, 65+ Years, FY 2004/05



Source: Trauma Registry, County of San Diego, Health and Human Services Agency, Emergency Medical Services; SANDAG, Current Population Estimates.



One out of every four persons with fall related hip fractures dies within one year of the initial fall.




Unintentional Injury Deaths

- In 2004, the most common cause of unintentional injury death among people aged 65+ years was a fall.
 - 110 deaths in San Diego County
 - 20 deaths in the East Region
- The second most common cause of unintentional injury death was a motor vehicle crash.
 - 19 deaths in San Diego County

Source: ME database, 2004.



Number of Fall-Related Deaths by Region of Residence, 65+ Years, 2004






Fall-Related Death Rates by Region of Residence, 65+ Years, 2004






Number and Rate of Fall Related Death by Age Group and Sex, San Diego County, FY 2004/05



Source: County of San Diego, Health and Human Services Agency, Division of Emergency Medical Services, San Diego County Medical Examiner's Data FY 2004/05




Fall Related Deaths, San Diego County 1988 – 2006



Source: County of San Diego, Health and Human Services Agency, Division of Emergency Medical Services, San Diego County Medical Examiner's Data FY 1988 – 2006



Fall Death Rates by Age Group and Year, San Diego County, 55+ Years



Source: CoSD, EMS, Medical Examiner Database, FY1988/1989 - 2002/2003; Population: SANDAG



For a copy of this presentation, contact:

Holly Shipp, MPH
County of San Diego
Public Health Services
Emergency Medical Services
(619) 285-6429

Holly.Shipp@sdcounty.ca.gov

www.sdhealthstatistics.com